





GENERAL INFORMATION		
SIMPLWINDOWS NAME:	ClearOne ViewPro VideoWallLayout Control v1.0	
CATEGORY:	Network Streaming	
VERSION:	1.0	
SUMMARY:	This module provides layout functionality for a group of ViewPro Renderer endpoints in a video wall configuration.	
GENERAL NOTES:	<ul> <li>This is a standalone control module which allows for controlling layout functionality on a group of ViewPro Renderer endpoints in a video wall configuration.</li> <li>This module requires an instance of the primary "Clearone ViewPro Command Processor IP v1.0" comm module to be included in the program. Control for this component module will be bound to and flow through the primary Comm module.</li> <li>Regarding control operation, it is not uncommon for there to be a couple second delay between when a control operation is performed and when the device responds with status. As such, you may notice a brief lag for feedback after performing certain operations.</li> <li>The module will automatically filter out any layouts which are not video wall layouts. Only video wall layouts will be returned as part of the layouts list.</li> </ul>	
CRESTRON HARDWARE REQUIRED:	3-series processor <u>only</u>	
SETUP OF CRESTRON HARDWARE:	This module requires the "Clearone ViewPro Command Processor IP v1.0" module in order to operate. Please read the help file associated with that module for additional information.	
VENDOR FIRMWARE:	3.2.54	





Integrated Partner

PARAMETER:	
Command_Processor_ID	Setting to indicate the ID for a particular processing module. Up to 16 separate processing modules may be used in a single program, each one operating independently. Note that if multiple processing modules are to be used in a single program, they <b>must</b> each have different ID's set.
Renderer_[x]_Name	Setting to indicate the name of the Renderer to control. The module provides the ability to group up to 16 Renderers together. However, if more renderers are required, the SIMPL+ and corresponding SIMPL module can be edited to allow for additional renderers. The SIMPL# library is built to handle additional renderers without requiring editing.
Device_Type	Setting to indicate the type of renderer being controlled (D110 or D210). Note it is very important to select the correct device type as the protocol used to communicate with the device is slightly different for each type. Also note, every renderer in the list of renderers must be of the same type.
Layout_Entries_Per_Page	Setting to indicate how many layout entries should be returned at a time (i.e. a page of entries).
Window_Entries_Per_Page	Setting to indicate how many window entries should be returned at a time (i.e. a page of entries).
Source_Entries_Per_Page	Setting to indicate how many source entries should be returned at a time (i.e. a page of entries).
Audio_Map_Entries_Per_Page	Setting to indicate how many audio map entries should be returned at a time (i.e. a page of entries).



CONTROL

# Partner: Clearone Model: ViewPro Device Type: Network Streaming





CONTROL:		
Layouts_Page_Top	D	Pulse to navigate to the top of the layouts list.
Layouts_Page_Up	D	Pulse to navigate up by one page in the layouts list.
Layouts_Page_Down	D	Pulse to navigate down by one page in the layouts list.
Layouts_Page_Bottom	D	Pulse to navigate to the bottom of the layouts list.
Windows_Page_Top	D	Pulse to navigate to the top of the windows list.
Windows_Page_Up	D	Pulse to navigate up by one page in the windows list.
Windows_Page_Down	D	Pulse to navigate down by one page in the windows list.
Windows_Page_Bottom	D	Pulse to navigate to the bottom of the windows list.
Windows_Set_Window_[x]	D	Pulse to set a window active/inactive. Recalling a video source will recall the source on any active windows. This allows for selecting multiple windows at a time and routing a source to them all at once.
Video_Sources_Page_Top	D	Pulse to navigate to the top of the video source list.
Video_Sources_Page_Up	D	Pulse to navigate up by one page in the video source list.
Video_Sources_Page_Down	D	Pulse to navigate down by one page in the video source list.
Video_Sources_Page_Bottom	D	Pulse to navigate to the bottom of the video source list.
Video_Sources_Recall_Source	A	Recall a source from the video source list to be shown on any windows in the current layout that have been set to Active.
Audio_Map_Page_Top	D	Pulse to navigate to the top of the audio map list.
Audio_Map_Page_Up	D	Pulse to navigate up by one page in the audio map list.
Audio_Map_Page_Down	D	Pulse to navigate down by one page in the audio map list.
Audio_Map_Page_Bottom	D	Pulse to navigate to the bottom of the audio map list.







CONTROL:		
Audio_Map_Output_Type	A	Set the output type to use when recalling an audio map. Note, not all output types are supported or available on all renderers. Valid values are: 0: Unbalanced Audio 1: Balanced Audio 2: USB Audio 3: HDMI Audio
Audio_Map_Recall_Map	А	Recall an audio map from the audio map list.
Clear_Error	D	Pulse to clear any received error messages.
Enable_Polling	D	Set high to enable polling for specific values every 15 seconds. Note, a finished program may have many control modules in it. Enabling polling on all may cause a considerable amount of traffic. It is highly recommended to disable polling unless required.







FEEDBACK:		
Is_Initialized	D	High to indicate the control module has received all the pertinent information from the device that it needs to operate and is ready for control.
Layouts_Current_Page	А	Value indicating the current page of the layouts list.
Layouts_Total_Pages	А	Value indicating the total number of pages in the layouts list.
Layouts_Total_Entries	А	Value indicating the total number of entries in the layouts list.
Layouts_Current_Layout	А	Value indicating the current layout as reported by the device.
Layouts_Current_Layout_Name	S	Value indicating the name of the current layout as reported by the device.
Layouts_Current_Window_Count	А	Value indicating the number of windows in the current layout.
Layouts_Name_[x]	s	Value indicating the name of the layouts on the current page of the layouts list.
Windows_Current_Page	А	Value indicating the current page of the windows list.
Windows_Total_Pages	А	Value indicating the total number of pages in the windows list.
Windows_Total_Entries	А	Value indicating the total number of entries in the windows list.
Windows_ls_Active_[x]	D	High to indicate that a particular window on the current page has been set to Active.
Windows_Name_[x]	S	Value indicating the name of the windows on the current page of the windows list.
Windows_Current_Source_[x]	А	Value indicating the current source for a window as reported by the device.
Windows_Current_Source_Name_[x]	S	Value indicating the name of the current source for a window as reported by the device.
Video_Sources_Current_Page	Α	Value indicating the current page of the video source list.
Video_Sources_Total_Pages	А	Value indicating the total number of pages in the video source list.
Video_Sources_Total_Entries	А	Value indicating the total number of entries in the video source list.
Video_Sources_Name_[x]	s	Value indicating the name of the sources on the current page of the source list.





**Certified Module** 

#### **FEEDBACK:** Audio\_Map\_Current\_Page Value indicating the current page of the audio map list. А Value indicating the total number of pages in the audio map list. Audio\_Map\_Total\_Pages А Audio\_Map\_Total\_Entries Value indicating the total number of entries in the audio map list. А Audio\_Map\_Current\_Output\_Type Value indicating the current audio output type. А Audio\_Map\_Current\_Map А Value indicating the current audio map as reported by the device. Audio\_Map\_Current\_Map\_Name S Value indicating the name of the current audio map as reported by the device. Audio\_Map\_Name\_[x] S Value indicating the name of the maps on the current page of the audio map list. Has\_Error D High to indicate that an error message has been received from the device. S Error\_Text Value indicating the error last received from the device.







TESTING:			
OPS USED FOR TESTING:	CP3: 1.501.2867.24563		
SIMPL WINDOWS USED FOR TESTING:	4.07.03.00		
CRES DB USED FOR TESTING:	63.06.002.00		
DEVICE DATABASE:	86.05.003.00		
SYMBOL LIBRARY USED FOR TESTING:	1038		
SAMPLE PROGRAM:	Clearone ViewPro v1.0 Demo IP.smw		
REVISION HISTORY:	v1.0 – Initial Release		