

Partner: AVPro Edge Models: MXNet



GENERAL INFORMATIO	N		
SIMPLWINDOWS NAME:	AVPro Edge MXNet VW Layout v1.0		
CATEGORY:	AVPro Edge MXNet		
VERSION:	1.0.0		
SUMMARY:	This module works in conjunction with the AVPro MXNet CommandProcessor v1.0 module to a create a single, full-screen video wall layout with a specified input routed to it. The full suite of AVPro MXNet modules includes:		
GENERAL NOTES:	This module requires one instance of the AVPro MXNet CommandProcessor v1.0 module to register with.		
CRESTRON HARDWARE REQUIRED:	4-Series processor, 3-Series processor		
SETUP OF CRESTRON HARDWARE:	N/A		
VENDOR FIRMWARE:	MXNet Control Box v2.03 MXNet Encoder v3.33 MXNet Decoder v4.18		
VENDOR SETUP:	N/A		



Partner: AVPro Edge Models: MXNet



PARAMETERS:				
Command_Processor_ID	The unique identifier of the command processor module that this module registers with.			
Layout_ID	The unique identifier of the layout managed by this module.			
Video_Wall_Name	The unique name for the video wall.			
Total_Rows	The number of rows in the video wall layout.			
Total_Columns	The number of columns in the video wall layout.			
Stretch	The stretch aspect setting. Possible values include:      Aspect Ratio (default)     Fullscreen			
Display_Visible_Width	The visible width of a display in millimeters.			
Display_Visible_Height	The visible height of a display in millimeters.			
Display_Outer_Width	The outer width of a display in millimeters.			
Display_Outer_Height	The outer height of a display in millimeters.			



Partner: AVPro Edge Models: MXNet



CONTROL:		
Source_Route	Α	Integer value specifies the encoder to display on this layout.
Take_Route	D	Pulse to send the route specified by the <b>Source_Route</b> analog input to the video wall.



Partner: AVPro Edge Models: MXNet



FEEDBACK:		
ls_Initialized	D	Digital high indicates this module has been initialized with the command processor module.
Last_Recalled_Layout	S	Text value indicates the name of the last layout recalled.



Partner: AVPro Edge Models: MXNet

Device Type: AVPro Edge MXNet



**TESTING:** 

VC4 v4.0000.00007

**OPS USED FOR TESTING:** CP4 v2.8000.00017

CP3 v1.8001.5061.26823

SIMPL WINDOWS USED FOR TESTING: 4.2000.00

**CRES DB USED FOR TESTING:** 215.0000.003.00

**DEVICE DATABASE:** 200.23500.001.00

SYMBOL LIBRARY USED FOR TESTING: 1177

SAMPLE PROGRAM: AVPro Edge MXNet v1.0 Demo.smw

**REVISION HISTORY:** v1.0 – Initial Release