

CONTACT SUPPORT:

COMPANY NAME:	Home Automation Experts	
SUPPORT CONTACT:	Derrick Picker	
EMAIL ADDRESS:	derrick@haexperts.com	
PHONE:	480-568-2660	
ADDRESS:	67 South Higley Road, Suite 103-170, Gilbert, AZ 85296	
NOTES:	2-Series, 3-Series Support	

GENERAL INFORMATION				
SIMPLWINDOWS NAME:	Advanced Presentation Timer (DP)			
CATEGORY:	Timers			
VERSION:	1.0			
SUMMARY:	Allows full control of a presentation timer up to 180 minutes			
GENERAL NOTES:	None			
CRESTRON HARDWARE REQUIRED:	2/3-series processor			
SETUP OF CRESTRON HARDWARE:	None			
VENDOR FIRMWARE:	N/A			
VENDOR SETUP:	None			
CABLE DIAGRAM:	N/A			

http://application.market.com

For more information please contact our Crestron Application Market team at applicationmarket@crestron.com. The information contained on this document is privileged and confidential and for use by Crestron Authorized Dealers, CSP Members, A+ Partners and Certified Integrated Partners only. Specifications subject to change without notice.



CONTROL:

Time Input (1-10800d)	А	1-10800 Seconds (d). Must be re-input when timer has expired.
Start/Cont	D	Pulsing Start Or Continue The Timer.
Stop/Reset	D	Pulsing Stops & Resets the timer to 0s.
Min+	D	Pulsing Adds 60s to ongoing timer.
Min-	D	Pulsing Subtracts 60s to ongoing timer.
Sec+	D	Pulsing Adds 1s to ongoing timer.
Sec-	D	Pulsing Subtracts 1s to ongoing timer.
Pause	D	Pulse To Pause Timer.

FEEDBACK:		
Active	D	High (1) while timer is active and counting down.
Not_Active	D	High (1) while timer is not active and/or is paused.
Timer_Paused	D	High (1) while timer is paused.
Timer_Remaining (s)	А	Time remaining in seconds.
Time_Elapsed (s)	А	Time elapsed since timer started.
Time_After_Zero (s)	D	Time elapsed after timer hit Zero (Resets to Zero when Start/Reset Are Pulsed)

©2013 Crestron Electronics, Inc. 15 Volvo Drive · Rockleigh, NJ 07647 800.237.2041 / 201.767.3400

http://application.market.com

For more information please contact our Crestron Application Market team at applicationmarket@crestron.com. The information contained on this document is privileged and confidential and for use by Crestron Authorized Dealers, CSP Members, A+ Partners and Certified Integrated Partners only. Specifications subject to change without notice.



TESTING:

OPS USED FOR TESTING:	cp3_1.503.0026	
SIMPL WINDOWS USED FOR TESTING:	4.11.06	
DEVICE DB USED FOR TESTING:	109.05.001.00	
CRES DB USED FOR TESTING:	83.05.001.00	
SYMBOL LIBRARY USED FOR TESTING:	1060	
SAMPLE PROGRAM:	None	
REVISION HISTORY:	1.0 – Initial Release	

http://application.market.com

For more information please contact our Crestron Application Market team at applicationmarket@crestron.com. The information contained on this document is privileged and confidential and for use by Crestron Authorized Dealers, CSP Members, A+ Partners and Certified Integrated Partners only. Specifications subject to change without notice.