

Partner: **Haivision**  
 Model: **Haivision Play STB DEMO**  
 Device Type: **STB**



GENERAL INFORMATION	
SIMPL WINDOWS NAME	Haivision Play Set-Top Box v1.0
CATEGORY	Set-Top Box
GENERAL NOTES	<p>The <b>Haivision Play STB DEMO</b> program includes the IR Driver module version 1.0 that enables remote control of the Haivision Play Set-Top Box over a TCP/IP network, via an RF emitter extension.</p> <p>Once installed, it presents a simple interface that allows you to control the Haivision Play STB from any Crestron device, as well as via PCs and mobile devices using Crestron XPanel app.</p> <p>Commands are sent via TCP/IP over the network to a Crestron Controller, which converts them to RF signals and sends them over a physical cable to an emitter placed near the Haivision Play STB.</p>
CRESTRON HARDWARE REQUIRED	3 Series processor RMC3 CNET-1
SETUP OF CRESTRON HARDWARE	N/A
VENDOR FIRMWARE	1.0
VENDOR SETUP	N/A
CABLE DIAGRAM	N/A

Partner: **Haivision**Model: **Haivision Play STB**Device Type: **Set-Top Box**

CONTROL		
HMP_Power	IR	PWR
HMP_Keypad_0	IR	0
HMP_Keypad_1	IR	1
HMP_Keypad_2	IR	2
HMP_Keypad_3	IR	3
HMP_Keypad_4	IR	4
HMP_Keypad_5	IR	5
HMP_Keypad_6	IR	6
HMP_Keypad_7	IR	7
HMP_Keypad_8	IR	8
HMP_Keypad_9	IR	9
HMP_Channel_Up	IR	Channel_Up
HMP_Channel_Down	IR	Channel_Down
HMP_Vol_up	IR	VOL+
HMP_Vol_Down	IR	VOL-
HMP_Mute	IR	MUTE
HMP_Clear	IR	CLEAR
HMP_Up	IR	UP_ARROW
HMP_Down	IR	DN_ARROW
HMP_Left	IR	LEFT_ARROW
HMP_Right	IR	RIGHT_ARROW
HMP_OK	IR	OK

Partner: **Haivision**

 Model: **Haivision Play STB**

 Device Type: **Set-Top Box**

HMP_EPG	IR	EPG
HMP_Config	IR	Config
HMP_Info	IR	INFO
HMP_Audio	IR	Audio
HMP_CC	IR	CC
HMP_Back	IR	Back
HMP_Video	IR	Video
HMP_VOD	IR	VOD
HMP_RW	IR	RW
HMP_FF	IR	FF
HMP_Stop	IR	Stop
//	IR	Hotmark
//	IR	Red
//	IR	Green
//	IR	Yellow
//	IR	Blue
//	IR	Keyboard
HMP_Track_Previous	IR	Track_Previous
HMP_Track_Next	IR	Track_Next

**FEEDBACK**

N/A

**PARAMETERS**

N/A

Partner: **Haivision**Model: **Haivision Play STB**Device Type: **Set-Top Box**

TESTING	
OPS USED FOR TESTING	3 Series processor RMC3 CNET-1
SIMPL WINDOWS USED FOR TESTING	4.08.15.02
DEVICE DB USED FOR TESTING	89.00.003.00
CRES DB USED FOR TESTING	65.00.006.00
SYMBOL LIBRARY USED FOR TESTING	508
SAMPLE PROGRAM	Haivision Play Set-Top Box v1.0
REVISION HISTORY	First Release v1.0

For more information, please contact **Haivision Systems Inc.:**

- Web: <http://www.haivision.com/support/>
- Phone (North America): 1-877-224-5445 (option 4) — *toll free*
- Phone (International): 1-514-334-5445 (option 4)
- Fax: 1-514-334-0088
- Email (Technical Support): [tickets@haivision.com](mailto:tickets@haivision.com)
- Email (Product Information): [info@haivision.com](mailto:info@haivision.com)