



GENERAL INFORMATION		
SIMPLWINDOWS NAME:	Lutron HomeWorks QSX Button Control v1.0	
CATEGORY:	Lighting	
VERSION:	1.0	
SUMMARY:	This module provides monitor and control capability for a Button component as part of a Lutron HomeWorks QSX solution.	
GENERAL NOTES:	This module supports up to 50 buttons. The buttons can belong to different keypads. If more than 50 buttons need to be managed, additional modules can be used to support the number of buttons required. This module requires one instance of the Lutron HomeWorks QSX Command Processor module to register with.	
CRESTRON HARDWARE REQUIRED:	Crestron 3-Series processor. Crestron 4-Series processor (Firmware Version 2.5000 or later).	
SETUP OF CRESTRON HARDWARE:	N/A	
VENDOR FIRMWARE:	N/A	
VENDOR SETUP:	N/A	

Crestron Certified Integrated Partner Modules can be found archived on our website in the Design Center. For more information please contact our Technical Sales Department at techsales@crestron.com. The information contained on this document is privileged and confidential and for use by Crestron Authorized Dealers, CAIP Members, A+ Partners and Certified Integrated Partners only. Specifications subject to change without notice.







PARAMETER:			
Command_Processor_ID	Setting indicates the identifier of the Command Processor module this module registers with. A single program can contain multiple Button modules where multiple Lutron processors are involved.		
Mode	<ul> <li>Setting indicates the operation mode of the Button, either PressHoldRelease, Press/Release, or Multi-Tap.</li> <li>Press/Hold/Release: Pulsed signal will execute press/hold/release button functionality. If there is no hold functionality programmed in Lutron system for specified button, a press/release will be executed.</li> <li>Press/Release: Pulsed signal will execute press/release button functionality.</li> <li>Multi-Tap: Pulsed signal will execute multi-tap button functionality.</li> </ul>		
Button_Href_ID[1]Button_Href_ID[50]	Setting indicates the reference identifier for the button the corresponding digital signal will trigger. Example: for button href: /button/664, enter the value 664 in the parameter field.		

Crestron Certified Integrated Partner Modules can be found archived on our website in the Design Center. For more information please contact our Technical Sales Department at techsales@crestron.com. The information contained on this document is privileged and confidential and for use by Crestron Authorized Dealers, CAIP Members, A+ Partners and Certified Integrated Partners only. Specifications subject to change without notice.



D





#### **CONTROL:**

Button\_[01]\_Press..Button\_[50]\_Press

Pulse to trigger the button specified by the corresponding Button\_HRef\_ID parameter. The button behavior is determined by the button mode parameter of the module. See notes above.

Crestron Certified Integrated Partner Modules can be found archived on our website in the Design Center. For more information please contact our Technical Sales Department at techsales@crestron.com. The information contained on this document is privileged and confidential and for use by Crestron Authorized Dealers, CAIP Members, A+ Partners and Certified Integrated Partners only. Specifications subject to change without notice.



# **Certified Module**

### Partner: Lutron Model: HomeWorks QSX Device Type: Lighting



FEEDBACK:		
Is_Initialized	D	High indicates the module is initialized. The module is initialized when all component state information has been updated in the module to reflect current component state.
Button_[01]_Press_FbButton_[50]_Press_Fb	D	High indicates that a physical Lutron device button that corresponds to its Button_HRef_ID has been pressed.

Crestron Certified Integrated Partner Modules can be found archived on our website in the Design Center. For more information please contact our Technical Sales Department at techsales@crestron.com. The information contained on this document is privileged and confidential and for use by Crestron Authorized Dealers, CAIP Members, A+ Partners and Certified Integrated Partners only. Specifications subject to change without notice.







TESTING:	
OPS USED FOR TESTING:	CP3 1.603.4242.34642
SIMPL WINDOWS USED FOR TESTING:	4.14.21
CRES DB USED FOR TESTING:	201.05.001.00
DEVICE DATABASE:	200.15.001.00
SYMBOL LIBRARY USED FOR TESTING:	1116
SAMPLE PROGRAM:	Lutron HomeWorks QSX Demo IP CP3.smw
REVISION HISTORY:	v1.0 – Initial Release

Crestron Certified Integrated Partner Modules can be found archived on our website in the Design Center. For more information please contact our Technical Sales Department at techsales@crestron.com. The information contained on this document is privileged and confidential and for use by Crestron Authorized Dealers, CAIP Members, A+ Partners and Certified Integrated Partners only. Specifications subject to change without notice.