

Partner: Lutron Model: HomeWorks QSX Device Type: Lighting



GENERAL INFORMATION		
SIMPLWINDOWS NAME:	Lutron HomeWorks QSX LED Control v1.3	
CATEGORY:	Lighting, HVAC, Shades	
VERSION:	1.3	
SUMMARY:	This module provides feedback monitoring capability for a LED component as part of a Lutron HomeWorks QSX solution.	
GENERAL NOTES:	This module supports up to 50 LEDs. If more than 50 LEDs need to be managed, additional modules can be added to support the number of LEDs required. This module requires one instance of the Lutron HomeWorks QSX Command Processor module to register with.	
CRESTRON HARDWARE REQUIRED:	Crestron 3-Series or 4-Series processor.	
SETUP OF CRESTRON HARDWARE:	N/A	
VENDOR FIRMWARE:	22.02.16f000	
VENDOR SETUP:	Lutron HomeWorks QSX Processor	

Crestron Certified Integrated Partner Modules can be found archived on our website in the Design Center. For more information please contact our Technical Sales Department at techsales@crestron.com. The information contained on this document is privileged and confidential and for use by Crestron Authorized Dealers, CAIP Members, A+ Partners and Certified Integrated Partners only. Specifications subject to change without notice.

www.crestron.com



Partner: Lutron Model: HomeWorks QSX Device Type: Lighting



PARAMETER:	
Command_Processor_ID	Setting indicates the identifier of the Command Processor module this module registers with. A single program can contain multiple LED modules where multiple Lutron processors are involved.
LED_Href_ID[1]LED_Href_ID[50]	Setting indicates the reference identifier for the LED the corresponding analog signal will trigger. Example: for LED href: /led/811, enter the value 811 in the parameter field.



Partner: Lutron Model: HomeWorks QSX Device Type: Lighting



CONTROL:

Integer value indicates what the LED will be set to:

А

LED_Href_ID[1] .. LED_Href_ID[50]

- 2 LED Off 3 – LED Normal Flash
- 4 LED Rapid Flash
- 5 Unknown



Partner: Lutron Model: HomeWorks QSX Device Type: Lighting



FEEDBACK:		
Is_Initialized	D	High indicates the module is initialized. The module is initialized when all component state information has been updated in the module to reflect current component state.
LED_Href_ID[1]_FbLED_Href_ID[50]_Fb	A	Integer value indicates the current LED state: 1 – LED On 2 – LED Off 3 – LED Normal Flash 4 – LED Rapid Flash 5 – Unknown



Partner: Lutron Model: HomeWorks QSX Device Type: Lighting



TESTING:			
OPS USED FOR TESTING:	CP3 1.603.4242.34642 CP4 2.8000.00017		
SIMPL WINDOWS USED FOR TESTING:	4.22		
CRES DB USED FOR TESTING:	217.05		
DEVICE DATABASE:	200.260		
SYMBOL LIBRARY USED FOR TESTING:	1184		
SAMPLE PROGRAM:	Lutron HomeWorks QSX v1.3 Demo IP.smw		
REVISION HISTORY:	v1.0 – Initial Release v1.1 – Added control inputs for LED control v1.2 – No changes have been made v1.3 – Corrected for errors when inputs are triggered before module is initialized		